

# ToLEDo+ Tubes

Toledo+ T8 V2 4ft 1650lm 16.5W 830

**0027386**



## Range Features

- 

## PRODUCT OVERVIEW

Lamp finish	Frosted
Lamp shape	T8
Colour temperature (K)	3000
CRI (Ra)	80
Dimmable	No
EAN code	5410288273860
Energy class	A+
Cap/Base	G13
Type	ToLEDo+ T8
Watt (Nominal) (W)	16.5
Light colour	Warm White
Ordering number	0027386
Efficacy (Rated) (lm/w)	100
Average life (Rated) (h)	40000
Luminous flux (Rated) (lm)	1650
Technology	LED
Voltage (V)	230-240
Colour consistency (SDCM)	6

## DATA TABLE

### General data

Average life (Nominal) (h)	40000
Control gear required	No
Lamp finish	Frosted
Lamp shape	T8
Dimmable	No
Dry applications use only	Yes
EAN code	5410288273860
Energy class	A+
General application	Hospitality; Logistics & Industry; Residential & Consumer
Intended purpose	No

## ToLEDo+ Tubes

Toledo+ T8 V2 4ft 1650lm 16.5W 830

**0027386**

Cap/Base	G13
Type	ToLEDo+ T8
No. of switching cycles before premature failure (min)	500000
Optimal operating condition (°C)	25
Ordering number	0027386
Product name	Toledo+ T8 V2 4ft 1650lm 16.5W 830
Average life (Rated) (h)	40000
Special purpose lamp	No
Starting time (max) (s)	0.05
Technology	LED
Transformer required	No
Warm-up time to 60% of full light (max) (s)	< 1s => 60%

### Optical data

Colour temperature (K)	3000
CRI (Ra)	80
Light colour	Warm White
Lumen maintenance at end of nominal life (%)	70
Luminous flux (Nominal) (lm)	1650
Luminous flux (Rated) (lm)	1650
Suitable for accent lighting	No
Adjustable chromaticity	No
Colour consistency (SDCM)	6

### Electrical data

Drive current (mA)	80
kWh per 1000 hours burning time	17
Lamp power factor	0.9
Watt (Nominal) (W)	16.5
Efficacy (Rated) (lm/w)	100
Watt (Rated) (W)	16.5
Voltage (V)	230-240

### Physical data

Max. Lamp Diameter (mm) - D	28
Lamp Length (mm) - C/L	1200
Lamp dimension equal to filament lamp equivalent	Yes

## ToLEDo+ Tubes

Toledo+ T8 V2 4ft 1650lm 16.5W 830

**0027386**

