



## Data Specification Sheet



### VFRCOB IP65 LED Fire Rated Downlight c/w Dimmable Driver

<b>Description</b>	IP65 LED Fire Rated Downlight c/w Dimmable Driver & White Bezel
<b>ML Accessories Code</b>	<b>VFRCOBWW</b> - Warm White IP65 LED Fire Rated Downlight <b>VFRCOBCW</b> - Cool White IP65 LED Fire Rated Downlight
<b>ML Accessories Code – Bezel Only</b>	<b>VFRBEZBR</b> – Brass Bezel <b>VFRBEZCH</b> – Chrome Bezel <b>VFRBEZCBR</b> – Brushed Chrome Bezel <b>VFRBEZBK</b> – Black Bezel
<b>Bezel Diameter</b>	80mm
<b>Rim Diameter</b>	76mm
<b>Cut Out</b>	63mm
<b>Minimum Depth</b>	75mm
<b>Weight</b>	0.31Kg
<b>Recommended product location</b>	Indoor Outdoor
<b>Finishes available (Bezels sold separately)</b>	White (Standard), Brass, Chrome, Brushed Chrome, Black
<b>Control Gear Type</b>	7W 210mA SELV LED Dimmable Driver supplied pre-wired to downlight
<b>Lamp Supplied</b>	Fixed non-replaceable 7W COB LED
<b>Class</b>	Class I. Must be Earthed
<b>IP</b>	IP65
<b>Photometric Testing</b>	Yes
<b>Lumen Output</b>	460lm Warm White – 490lm Cool White
<b>Beam Angle</b>	38°
<b>Dimmable</b>	Yes
<b>Instruction sheet</b>	Yes
<b>Origin of manufacture</b>	China
<b>Main materials:</b>	
• Chassis	Pressed Steel
• Body	Die cast
• Bezel	Die cast
<b>Method of fix</b>	Twin fixed spring
<b>Electrical Connections</b>	Loop in 10Amp L.N.E Nylon Connector, Push-in Terminals
<b>CE mark</b>	Yes
<b>Quality Assurance System</b>	Yes ISO 9001 QMS
<b>Batch coding details on product</b>	Yes
<b>Certificate of Conformity (Held on File)</b>	Yes
<b>Manufactured in accordance</b>	EN60598-1 General requirements EN60598-2-1 Fixed general purpose luminaires EN60598-2-2 Recessed luminaires BS5250 (Energy efficiency, Useful heat loss and passage of condensation), BS EN ISO 140 (Parts 1 & 2):1997. (Acoustic), Part P (Installation requirements) BS476 – Part 21 & Part 23 Fire rating

ML Accessories Ltd. reserves the right to withdraw, improve or modify any design without prior notification.  
ML Accessories Ltd. cannot be held responsible for the incorrect application of any product.