



MASTER SON-T APIA Plus Xtra

MASTER SON-T APIA Plus Xtra 250W E40 1SL

High Pressure Sodium lamp with clear tubular outer bulb shape, high output and longest reliable lifetime

Product data

• General Characteristics

System Description	External Ignitor
Cap-Base	GES [GES]
Bulb	T46 [T 46mm]
Bulb Finish	Clear
Burning Position	any [Any/Universal]
Life to 5% failures	24000 hr
Life to 10% failures	28000 hr
Life to 20% failures	32000 hr
Life to 50% failures	40000 hr
LSF EM 2000h Rated, 12h cycle	99 %
LSF EM 4000h Rated, 12h cycle	99 %
LSF EM 6000h Rated, 12h cycle	99 %
LSF EM 8000h Rated, 12h cycle	99 %
LSF EM 12000h Rated, 12h cycle	99 %
LSF EM 16000h Rated, 12h cycle	99 %
LSF EM 20000h Rated, 12h cycle	97 %

• Light Technical Characteristics

Colour Code	-
Colour Rendering Index	25 (max) Ra8
Colour Temperature	1950 K
Colour Temperature Technical	2000 K
Luminous Flux EM 25°C, Rated	33300 Lm
Lum Efficacy Rated EM 25°C	130 Lm/W

Average Luminance EM	470 cd/cm2
LLMF EM 2000h Rated	99 %
LLMF EM 4000h Rated	98 %
LLMF EM 6000h Rated	97 %
LLMF EM 8000h Rated	96 %
LLMF EM 12000h Rated	96 %
LLMF EM 16000h Rated	95 %
LLMF EM 20000h Rated	94 %
Chromaticity Coordinate X	530 -
Chromaticity Coordinate Y	420 -

• Electrical Characteristics

Lamp Wattage	250 W
Lamp Wattage EM 25°C, Nominal	250 W
Lamp Wattage EM 25°C, Rated	250 W
Lamp Voltage	100 V
Lamp Current EM	3 A
Ignition Time	10 (max) s
Run-up time 90%	5 (max) min
Dimmable	yes
Re-ignition Time [sec]	120 (max) s
Ratio scotopic/photopic lumens	0.60 -

PHILIPS
sense and simplicity

• Environmental Characteristics

Mercury (Hg) Content	15 mg
----------------------	-------

• Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
Bulb Temperature	450 (max) C

• Product Dimensions

Overall Length C	257 (max) mm
Diameter D	48 (max) mm
Light Center Length L	158 mm
Arc Length O	64 mm

• Product Data

Order code	927375 00
Full product code	872790092737500
Full product name	MASTER SON-T APIA Plus Xtra 250W E40 1SL
Order product name	MST SON-T APIA Plus Xtra 250W E40 1SL/12
Pieces per pack	1
Packing configuration	12
Packs per outerbox	12
Bar code on pack - EAN1	8727900927375
Bar code on outerbox - EAN3	8727900927382
Logistic code(s) - 12NC	928150419230
ILCOS code	ST-250-H/E-E40
Net weight per piece	0.158 kg

Warnings and Safety

- Control gear must include end-of-life protection (IEC60662, IEC 62035)

Dimensional drawing

MASTER SON-T APIA Plus Xtra 250W E40 1SL

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
SON-T APIA Plus Xtra 250W E40	257	48	158	64

E40

Photometric data

SON-T APIA Plus Xtra 100W, 150W, 250W



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, December 21
data subject to change